


CEHUMA
to your needs...



better packaging for a better world

THERMOFORMING
PACKAGING
MACHINE

CEHUMA

Cehuma is highly specialized in the design and manufacturing of thermoforming packaging machines with a portfolio of horizontal thermoform fill seal machines which is also known as horizontal form fill seal (HFFS), thermoform fill seal (TFFS), form fill seal (FFS) or thermoformer.

Cehuma, with its indispensable motto "better packaging for a better world", package a wide range of products efficiently and cost effectively, including dairy products, meat products, sea food, poultry products, dried fruits and vegetables, industrial and consumer goods, medical and pharmaceutical products.

Our thermoforming packaging machine series also offers filling and packing of cup water, honey, jam, ketchup, mayonnaise, yoghurt, cream cheese, chocolate, nut paste, butter. Cehuma not only offers standard thermoforming packaging machine range but also supplies complete custom-built solutions for different capacity levels from entry models up to fully automated packaging lines from a single source with a customer friendly flexibility.




BETTER PACKAGING FOR A BETTER WORLD... BETTER PACKAGING FOR A BETTER WORLD...
BETTER PACKAGING FOR A BETTER WORLD... BETTER PACKAGING FOR A BETTER WORLD
BETTER PACKAGING FOR A BETTER WORLD... BETTER PACKAGING FOR A BETTER WORLD

The background features several overlapping diagonal bands containing the words "PACKAGING" and "WORLD..." repeated many times.

CM SERIES

CM series thermoforming packaging machines are for food and non food applications, capable of processing both flexible and rigid films up to a width of 600 mm and thickness of 1200 µm with modified atmosphere (MAP) and vacuum options.



Technical Specifications

Capacity (Cyc/min)	5–12
Web Width (mm)	180–600
Bottom Web Material	Flexible / Rigid
Top Web Material	Pa+Pe/AL/Tyvek....
Machine Length (mm)	3500–9500
Max. Forming Depth (mm)	60–150
Energy Consumption (kW)	8–38
Electric Supply	3x380V. 50 Hz.
Air Pressure (Bar)	6–8
Cooling Water (°C)	10–16

Options


- Flexible / Rigid film
- Vacuum / MAP application
- Dosing and product loading systems
- Coding and printing systems
- Metal detectors / Check weigher
- IP65 level of protection
- Printed film registration – top film

Advantages

- Corrosion-resistant gripper chain
- Entire stainless steel structure
- Modular construction
- Programmable advance speed
- Multi-language selection
- Safety standards according to "EC" regulations
- Large touch screen

YZ SERIES

YZ series thermoforming filling and sealing machines (FFS) are for food packaging capable of filling and sealing of different types of pasty and liquid products with an output performance up to 35 cycles per minute.



Technical Specifications

Capacity (Cyc/min)	15–35
Index (mm)	70–200
Web Width (mm)	150–500
Bottom Web Thickness (µm)	550–1200
Bottom Web Material	PVC/PET/PS/PP
Top Web Material	AL+PET
Machine Length (mm)	5.500–11.000
Energy Consumption (kW)	8–25
Electric Supply	3x380V. 50 Hz.
Air Pressure (Bar)	6–8
Cooling Water (°C)	10–16

Options

- Automatic dosing
- Water dosing
- Juice dosing
- Viscous fluids dosing
- IP65 level of protection
- UV lights sterilization
- Hepa filter
- CIP (Clean In Place) integration
- Labeling systems

Advantages

- Entire stainless steel structure
- Precise dosing
- Wide range of cup design possibilities
- Advanced punching technology
- Servo technology
- Programmable advance speed
- Multi-language selection
- Safety standards according to "EC" regulations
- Large touch screen

APPLICATIONS

CM SERIES

and more...



Dairy Products



Meat Products



Poultry



Seafood



Dates



Bakery Products



Medical & Pharmaceutical Kits



Cream & Bread Sticks



Dried Fruits

YZ SERIES


and more...



Cup Water



Cup Juice



Butter & Margarine



Ketchup & Mayo



Jam



Honey



Coffee Milk



Chocolate & Nut Paste



Yoghurt




Cream Cheese

[illegible]


HIGHLIGHTS

FASTER PRODUCTION




Quick Format Change

UTMOST FOOD SAFETY



Ultra Smooth Surface for Hygienic Dosing

LESS FILM SCRAP



Special Granite Coated Plate

PERFECT TRAY SHAPES




Homogeneous Temperature Profile

AVOID MISPRODUCTION



Integrated Gas (MAP) Analyzer


MAINTENANCE FRIENDLY



Automatic Chain Lubrication

[illegible]

DO NOT LIMIT YOURSELF
WE CAN
PACK
IDEAS



CEHUMA
to your needs...

İkitelli Organize San.Böl. Sinpaş İş Modern San.Sit.
F Blok No:F27 34490 Başakşehir / İstanbul / TURKEY
Tel: +90 216 515 68 80
sales@cehuma.com – www.cehuma.com